

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: Ludwik - floral cream cleaner

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Cleaner

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

GRUPA INCO S.A. ul. Wspólna 25 00-519 Warszawa - Mazowieckie - Polska Phone.: +48 22 71 15 900 info.produkty@inco.pl www.inco.pl

1.4 Emergency telephone number: +48 22 7115900 (7.30-15.30)

SECTION 2: HAZARDS IDENTIFICATION **

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Eye Irrit. 2: Eye irritation, Category 2, H319

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Warning



Hazard statements:

Eye Irrit. 2: H319 - Causes serious eye irritation

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand P102: Keep out of reach of children P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

** Changes with regards to the previous version

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Mixture composed of chemical products

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification	Chemical name/Classification			
CAS: EC:	68411-30-3 270-115-0		C10-13-alkyl derivs., sodium salts ⁽¹⁾ Acute Tox. 4: H302; Aquatic Chronic 3: H412; Eye Dam. 1: H318; Skin Irrit. 2: H3	Self-classified	3 - <5 %
	Non-applicable 01-2119489428-22- XXXX	Regulation 1272/2000	Acte 104. 1. 1902, Aquate Chronic 5. 1112, Eye Dani, 1. 1910, Jun 111, 2. 115	15 Dunger	5- <5 /0

Version: 3 (Replaced 2)

(1) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830

Revised: 28/04/2020



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

	Identification	Chemical name/Classification			
EC: 271 (E2 0		•	d C18-unsatd., N,N-bis(hydroxyethyl) ⁽¹⁾ Self-classified		
Index:	Non-applicable 01-2119951823-33- XXXX	Regulation 1272/2008	Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger	1 - <3 %	

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. IT IS NOT RECOMMENDED to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.



SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

6.2 Environmental precautions:

Avoid spillage into the aquatic environment as it contains substances potentially dangerous for this. Contain the product absorbed in hermetically sealed containers. In the case of serious spillage into the aquatic environment notify the relevant authority.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Store in a cool, dry, well-ventilated location

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace There are no occupational exposure limits for the substances contained in the product

DNEL (Workers):

		Short e	xposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 68411-30-3	Dermal	Non-applicable	Non-applicable	170 mg/kg	Non-applicable
EC: 270-115-0	Inhalation	Non-applicable	Non-applicable	12 mg/m ³	12 mg/m ³



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

	Short e	exposure	Long e	kposure	
Identification		Systemic	Local	Systemic	Local
Amides, C16-18 and C18-unsatd., N,N-bis(hydroxyethyl)	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 68603-38-3	Dermal	Non-applicable	Non-applicable	4,16 mg/kg	Non-applicable
EC: 271-653-9	Inhalation	Non-applicable	Non-applicable	73,44 mg/m ³	Non-applicable

DNEL (General population):

		Short	exposure	Lor	ng exposure
Identification		Systemic	Local	Systemic	Local
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	Oral	Non-applicable	Non-applicable	0,85 mg/kg	Non-applicable
CAS: 68411-30-3	Dermal	Non-applicable	Non-applicable	85 mg/kg	Non-applicable
EC: 270-115-0	Inhalation	Non-applicable	Non-applicable	3 mg/m ³	3 mg/m ³
Amides, C16-18 and C18-unsatd., N,N-bis(hydroxyethyl)	Oral	Non-applicable	Non-applicable	6,25 mg/kg	Non-applicable
CAS: 68603-38-3	Dermal	Non-applicable	Non-applicable	2,5 mg/kg	Non-applicable
EC: 271-653-9	Inhalation	Non-applicable	Non-applicable	21,73 mg/m ³	Non-applicable
PNEC:					
Identification					
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	STP	3,43 mg/L	Fresh water		0,268 mg/L
CAS: 68411-30-3	Soil	35 mg/kg	Marine water		0,0268 mg/L
EC: 270-115-0	Intermittent	0,0167 mg/L	Sediment (Fresh	water)	8,1 mg/kg
	Oral	Non-applicable	Sediment (Marin	e water)	8,1 mg/kg
Amides, C16-18 and C18-unsatd., N,N-bis(hydroxyethyl)	STP	830 mg/L	Fresh water		0,007 mg/L
CAS: 68603-38-3	Soil	0,09979 mg/kg	Marine water		0,0007 mg/L
EC: 271-653-9	Intermittent	0,012 mg/L	Sediment (Fresh	water)	0,21115 mg/kg
	Oral	Non-applicable	Sediment (Marin	e water)	Non-applicable

8.2 Exposure controls:

A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2003+A1:2009 and EN ISO 374-1:2016

"As the product is a mixture of several substances, the resistance of the glove material can not be predicted in advance with total reliability and has therefore to be checked prior to the application"

D.- Ocular and facial protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2001 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.



Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013 EN 464:1994.
	Anti-slip work shoes	CATI	EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007

Emergency measure	Standards	Emergency measure	Standards
Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply):	0,18 % weight
V.O.C. density at 20 °C:	2,58 kg/m ³ (2,58 g/L)
Average carbon number:	4
Average molecular weight:	122,1 g/mol

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

Appearance:	
Physical state at 20 °C:	Liquid
Appearance:	Viscous
Colour:	White
Odour:	Floral
Odour threshold:	Non-applicable *
Volatility:	
Boiling point at atmospheric pressure:	100 °C
Vapour pressure at 20 °C:	2350 Pa
Vapour pressure at 50 °C:	12382,89 Pa (12,38 kPa)
Evaporation rate at 20 °C:	Non-applicable *
Product description:	
Density at 20 °C:	1400 kg/m³
Relative density at 20 °C:	1,4
Dynamic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 40 °C:	>20,5 cSt
Concentration:	Non-applicable *
*Not relevant due to the nature of the product, not providing information	ion property of its hazards.



Vapour density at 20 °C: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility properties: Dispersible Decomposition temperature: Non-applicable * Metting point/freezing point: Non-applicable * Metting point/freezing point: Non-applicable * Cidising properties: Non-applicable * Oxidising properties: Non-applicable * Flammability: Flammability: Flammability (solid, gas): Non-applicable * Autoignition temperature: Non-applicable * Lower flammability (imit: Non-applicable * Upper flammability (imit: Non-applicable * Upper replosive limit: Non-applicable * Varface tension at 20 °C: Non-applicable * Surface tension at 20 °C: Non-applicable * No hazardous reactions are expected because the product is stable under recommended storage condi		pH:	9 - 11		
Partition coefficient n-octamol/water 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility properties: Dispersible Decomposition temperature: Non-applicable * Metting point/freezing point: Non-applicable * Explosive properties: Non-applicable * Oxidising properties: Non-applicable * Oxidising properties: Non-applicable * Flammability: Non-applicable * Hash Point: Non-applicable * Plantition temperature: Non-applicable * Lower flammability (solid, gas): Non-applicable * Upper flammability limit: Non-applicable * Upper resplosive limit: Non-applicable * Upper explosive limit: Non-applicable * Upper explosive limit: Non-applicable * Upper explosive limit: Non-applicable * Surface tension at 20 °C: Non-applicable * Nor-applicable * Non-applicable * Nor televant due to the nature of the product, not providing information property of its hazards. ECTUN 10: STABLITY AND REACTIVITY Other information: Surface tension at 20 °C: No haz		•			
Solubility in water at 20 °C: Non-applicable * Solubility properties: Non-applicable * Melting point/freezing point: Non-applicable * Melting point/freezing point: Non-applicable * Oxidising properties: Non-applicable * Oxidising properties: Non-applicable * Oxidising properties: Non-applicable * Oxidising properties: Non-applicable * Hammability: Non-applicable * Hammability (solid, gas): Non-applicable * Autoignition temperature: Non-applicable * Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Upper rexplosive limit: Non-applicable * Lower explosive limit: Non-applicable * Upper rexplosive limit: Non-applicable * Surface tension at 20 °C: Non-applicable * Surface tension at 20 °C: Non-applicable * Non televant. Non applicable * Non televant. Non applicable * Non televant. Non applicable * Oxida tension at 20 °C: Non-applicable * Non televant. Non applicable * <		. ,	••		
Solubility properties: Dispersible Decomposition temperature: Non-applicable * Metling point/freezing point: Non-applicable * Explosive properties: Non-applicable * Oxidising properties: Non-applicable * Oxidising properties: Non-applicable * Flammability: Non-applicable * Flammability (solid, gas): Non-applicable * Autoignition temperature: Non-applicable * Lower flammability limit: Non-applicable * Upper fammability limit: Non-applicable * Upper explosive limit: Non-applicable * Upper fammability limit: Non-applicable * Surface tension at 20 °C: Non-applicable * Surface tension at 20 °C: Non-applicable * Nor-applicable * Non-applicable * *Not relevant due to the nature of the product, not providing information property of its hazards. Non-applicable * No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7. Non-applicable * No hazardous reactions of storage, handling and use. Non-applicable * Oxiderially stable under the conditions of storage, handling and use. Non-applicable * <td></td> <td></td> <td></td> <td></td> <td></td>					
Decomposition temperature: Non-applicable * Melting point/freezing point: Non-applicable * Explosive properties: Non-applicable * Oxidising properties: Non-applicable * Flammability: Non-applicable * Flammability: Non-applicable * Flammability (solid, gas): Non Flammabile (>60 °C) Flammability (solid, gas): Non-applicable * Autoignition temperature: Non-applicable * Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Upper rexplosive limit: Non-applicable * Lower explosive limit: Non-applicable * Upper explosive limit: Non-applicable * Surface tension at 20 °C: Non-applicable * Surface tension at 20 °C: Non-applicable * *Not relevant due to the nature of the product, not providing information property of its hazards. Non-applicable * *Not relevant due to the conditions of storage, handling and use. Non-applicable * No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7. Non-applicable * No hazardous reactions of storage, handling and use. Non-applicable * <td></td> <td></td> <td></td> <td></td> <td></td>					
Melting point/freezing point: Non-applicable * Explosive properties: Non-applicable * Oxidising properties: Non-applicable * Flammability: Non-applicable * Flammability: Non-applicable * Flammability (solid, gas): Non-applicable * Autoignition temperature: Non-applicable * Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Lower explosive limit: Non-applicable * Upper explosive limit: Non-applicable * Upper explosive limit: Non-applicable * Surface tension at 20 °C: Non-applicable * Surface tension at 20 °C: Non-applicable * * vot relevant due to the nature of the product, not providing information property of its hazards. CTON 10: STABILITY AND REACTIVITY 11 Reactivity: No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7. 12 Chemical stability: Chemical stability: Interventions of storage, handling and use. 13 Possibility of hazardous reactions: Under the specified conditions, hazardous reactions that lead to excess					
Explosive properties: Non-applicable * Oxidising properties: Non-applicable * Flammability: Flammability: Flash Point: Non Flammabile (>60 °C) Flammability (solid, gas): Non-applicable * Autoignition temperature: Non-applicable * Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Upper explosive limit: Non-applicable * Surface tension at 20 °C: Non-applicable * Surface tension index: Non-applicable * "Not relevant due to the nature of the product, not providing information property of its hazards. Surface tension at 20 °C: Non-applicable * Non-applicable * Non-applicable					
Oxidising properties: Non-applicable * Flammability: Non Flammable (>60 °C) Flammability (solid, gas): Non-applicable * Autoignition temperature: Non-applicable * Lower flammability (solid, gas): Non-applicable * Lower flammability limit: Non-applicable * Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Lower explosive limit: Non-applicable * Lower explosive limit: Non-applicable * Upper explosive limit: Non-applicable * Upper explosive limit: Non-applicable * Veraper explosive limit: Non applicable * Not nazardous reactions are expected because the product is stable under recommended storage conditions. See section 7. Dessibility of hazardous reactions:					
Flammability: Non Flammabile (>60 °C) Flammability (solid, gas): Non-applicable * Autoignition temperature: Non-applicable * Lower flammability limit: Non-applicable * Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Lower explosive limit: Non-applicable * Lower explosive limit: Non-applicable * Upper explosive limit: Non-applicable * Upper explosive limit: Non-applicable * Surface tension at 20 °C: Non-applicable * Surface tension at 20 °C: Non-applicable * Refraction index: Non-applicable * *Not relevant due to the nature of the product, not providing information property of its hazards. Image: Surface tension at 20 °C: Cotherical stability: Non-applicable * Image: Surface tension at 20 °C: No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7. Image: Surface tension at 20 °C: Chemical stability: Image: Surface tension are expected. Image: Surface tension are expected. Surface tension are expected because the product is stable under recommended storage conditions. See section 7. Image: Surface tension are expected. <td></td> <td></td> <td></td> <td></td> <td></td>					
Flash Point: Non Flammable (>60 °C) Flammability (solid, gas): Non-applicable * Autoignition temperature: Non-applicable * Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Explosive: Non-applicable * Lower explosive limit: Non-applicable * Upper explosive limit: Non-applicable * Surface tension at 20 °C: Non-applicable * Surface tension at 20 °C: Non-applicable * Refraction index: Non-applicable * *Not relevant due to the nature of the product, not providing information property of its hazards. ECTION 10: STABILITY AND REACTIVITY 11 Reactivity: No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7. 12 Chemical stability: Chemically stable under the conditions of storage, handling and use. 13 Possibility of hazardous reactions that lead to excessive temperatures or pressure are not expected. 14 Conditions to avoid: Applicable for handling and storage at room temperature: Shock and infiction <td< td=""><td></td><td></td><td>Non-applicable *</td><td></td><td></td></td<>			Non-applicable *		
Flammability (solid, gas): Non-applicable * Autoignition temperature: Non-applicable * Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Lower explosive limit: Non-applicable * Upper explosive limit: Non-applicable * Upper explosive limit: Non-applicable * Surface tension at 20 °C: Non-applicable * Surface tension at 20 °C: Non-applicable * Not relevant due to the nature of the product, not providing information property of its hazards. Von-applicable * ** *Not relevant due to the nature of the product, not providing information property of its hazards. ECTION 10: STABILITY AND REACTIVITY Von Applicable * No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7. Ochemical stability: Chemically stable under the conditions of storage, handling and use. Ossibility of hazardous reactions: Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected. OA Conditions to avoid: Applicable for handling and storage at room temperature: Sunlight Humidity		-			
Autoignition temperature: Non-applicable * Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Explosive: Explosive limit: Lower explosive limit: Non-applicable * Upper explosive limit: Non-applicable * 2 Other information: Surface tension at 20 °C: Surface tension at 20 °C: Non-applicable * Refraction index: Non-applicable * *Nor reapplicable * Non-applicable * *Nor reapplicable * Non-applicable * *Nor relevant due to the nature of the product, not providing information property of its hazards. Non-applicable * *No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7. No 2.1 Chemical stability: Chemically stable under the conditions of storage, handling and use. 3.3 Possibility of hazardous reactions: Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected. 4.4 Conditions to avoid: Applicable for handling and storage at room temperature: Shock and friction Contact with air Increase in temperature Sunlight Humidity Not ap				°C)	
Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Explosive: Lower explosive limit: Non-applicable * Lower explosive limit: Non-applicable * Upper explosive limit: Non-applicable * Upper explosive limit: Non-applicable * Surface tension at 20 °C: Non-applicable * Refraction index: Non-applicable * *Not relevant due to the nature of the product, not providing information property of its hazards. Vertex explosive limits. ECTION 10: STABILITY AND REACTIVITY Non-applicable * No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7. D: Amical stability: Chemical stability: Chemical stability: Chemical stability: Mode the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected. D: Amical stability of hazardous reactions that lead to excessive temperatures or pressure are not expected. Chemical stability of hazardous reactions that lead to excessive temperatures or pressure are not expected. D: Amical fiction to avoid: Applicable for handling and storage at room temperature: Shock and friction Contact with air Increase in temperature Sunlig		Flammability (solid, gas):			
Upper flammability limit: Non-applicable * Explosive: Non-applicable * Lower explosive limit: Non-applicable * Upper explosive limit: Non-applicable * 20 Other information: Non-applicable * Surface tension at 20 °C: Non-applicable * Refraction index: Non-applicable * *Not relevant due to the nature of the product, not providing information property of its hazards. Vertex Non-applicable * *Not relevant due to the nature of the product, not providing information property of its hazards. Vertex Non-applicable * *Not relevant due to the nature of the product is stable under recommended storage conditions. See section 7. Vertex Non hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7. V10: Stability: Chemically stable under the conditions of storage, handling and use. V10: Possibility of hazardous reactions: Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected. V10: Conditions to avoid: Applicable for handling and storage at room temperature: Shock and friction Context with air Increase in temperature Sunlight Humidity Not applicable Not applicable Not applicable		Autoignition temperature:	Non-applicable *		
Explosive: Lower explosive limit: Non-applicable * Upper explosive limit: Non-applicable * 2 Other information: Surface tension at 20 °C: Non-applicable * Refraction index: Non-applicable * *Not relevant due to the nature of the product, not providing information property of its hazards. ECTION 10: STABILITY AND REACTIVITY D.1 Reactivity: No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7. D.2 Chemical stability: Chemical stability: Chemically stable under the conditions of storage, handling and use. D.3 Possibility of hazardous reactions: Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected. D.4 Conditions to avoid: Applicable for handling and storage at room temperature: Shock and friction Contact with air Not applicable Not applicable Not applicable Not applicable		Lower flammability limit:	Non-applicable *		
Lower explosive limit: Non-applicable * Upper explosive limit: Non-applicable * Upper explosive limit: Non-applicable * Surface tension at 20 °C: Non-applicable * Refraction index: Non-applicable * *Not relevant due to the nature of the product, not providing information property of its hazards. Non-applicable * CTION 10: STABILITY AND REACTIVITY Non-applicable * No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7. Non-applicable stable under the conditions of storage, handling and use. D: Remical stability: Chemically stable under the conditions of storage, handling and use. D: Possibility of hazardous reactions: Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected. D: Conditions to avoid: Applicable for handling and storage at room temperature: Shock and friction Contact with air Increase in temperature Sunlight Humidity Not applicable Not applicable Not applicable Not applicable		Upper flammability limit:	Non-applicable *		
Upper explosive limit: Non-applicable * 2 Other information: Surface tension at 20 °C: Non-applicable * Refraction index: Non-applicable * *Not relevant due to the nature of the product, not providing information property of its hazards. CECTION 10: STABILITY AND REACTIVITY On Reactivity: No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7. On Reactivity: No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7. Onemical stability: Chemically stable under the conditions of storage, handling and use. One provide in the conditions, hazardous reactions: Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected. Onditions to avoid: Applicable for handling and storage at room temperature: Shock and friction Contact with air Increase in temperature Sunlight Humidity Not applicable Not applicable Not applicable Not applicable Not applicable		Explosive:			
2 Other information: Surface tension at 20 °C: Non-applicable * Refraction index: Non-applicable * *Not relevant due to the nature of the product, not providing information property of its hazards. COLICIN 10: STABILITY AND REACTIVITY On Reactivity: No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7. On Reactivity: No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7. On Reactivity: No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7. O.2 Chemical stability: Chemically stable under the conditions of storage, handling and use. Onder the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected. O.3 Possibility of hazardous reactions: Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected. O.4 Conditions to avoid: Applicable for handling and storage at room temperature: Shock and friction Contact with air Increase in temperature Sunlight Humidity Not applicable Not applicable No		Lower explosive limit:	Non-applicable *		
Surface tension at 20 °C: Non-applicable * Refraction index: Non-applicable * *Not relevant due to the nature of the product, not providing information property of its hazards. ECTION 10: STABILITY AND REACTIVITY O.1 Reactivity: No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7. D.2 Chemical stability: Chemically stable under the conditions of storage, handling and use. D.3 Possibility of hazardous reactions: Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected. D.4 Conditions to avoid: Applicable for handling and storage at room temperature: Shock and friction Contact with air Increase in temperature Sunlight Not applicable Not applicable		Upper explosive limit:	Non-applicable *		
Refraction index: Non-applicable * *Not relevant due to the nature of the product, not providing information property of its hazards. CTION 10: STABILITY AND REACTIVITY A Reactivity: No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7. Chemical stability: Chemically stable under the conditions of storage, handling and use. O.3 Possibility of hazardous reactions: Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected. Conditions to avoid: Applicable for handling and storage at room temperature: Shock and friction Contact with air Increase in temperature Sunlight Humidity Not applicable Not ap	2	Other information:			
*Not relevant due to the nature of the product, not providing information property of its hazards.		Surface tension at 20 °C:	Non-applicable *		
CCTION 10: STABILITY AND REACTIVITY 0.1 Reactivity: No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7. 0.2 Chemical stability: Chemically stable under the conditions of storage, handling and use. 0.3 Possibility of hazardous reactions: Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected. 0.4 Conditions to avoid: Applicable for handling and storage at room temperature: Shock and friction Contact with air Increase in temperature Sunlight Humidity Not applicable Not applicable Not applicable Not applicable Not applicable		Refraction index:	Non-applicable *		
D.1 Reactivity: No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7. D.2 Chemical stability: Chemically stable under the conditions of storage, handling and use. D.3 Possibility of hazardous reactions: Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected. D.4 Conditions to avoid: Applicable for handling and storage at room temperature: Shock and friction Contact with air Increase in temperature Sunlight Humidity Not applicable Not applicable Not applicable Not applicable Not applicable					
Chemically stable under the conditions of storage, handling and use. 0.3 Possibility of hazardous reactions: Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected. 0.4 Conditions to avoid: Applicable for handling and storage at room temperature: Shock and friction Contact with air Increase in temperature Sunlight Humidity Not applicable Not applicable Not applicable Not applicable Not applicable		*Not relevant due to the nature of the product, not providing	information property of its hazards.		
D.3 Possibility of hazardous reactions: Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected. D.4 Conditions to avoid: Applicable for handling and storage at room temperature: Shock and friction Contact with air Increase in temperature Sunlight Humidity Not applicable Not applicable Not applicable Not applicable Not applicable	0.1	ION 10: STABILITY AND REACTIVITY Reactivity: No hazardous reactions are expected because the		mended storage conditions	s. See section 7.
Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected. Conditions to avoid: Applicable for handling and storage at room temperature: Shock and friction Contact with air Increase in temperature Sunlight Humidity Not applicable Not applicable).1	ION 10: STABILITY AND REACTIVITY Reactivity: No hazardous reactions are expected because the Chemical stability:	product is stable under recom	mended storage conditions	s. See section 7.
O.4 Conditions to avoid: Applicable for handling and storage at room temperature: Shock and friction Contact with air Increase in temperature Sunlight Humidity Not applicable Not applicable Not applicable Not applicable Not applicable).1).2	ION 10: STABILITY AND REACTIVITY Reactivity: No hazardous reactions are expected because the Chemical stability: Chemically stable under the conditions of storage,	product is stable under recom	mended storage conditions	s. See section 7.
Applicable for handling and storage at room temperature:Shock and frictionContact with airIncrease in temperatureSunlightHumidityNot applicableNot applicableNot applicableNot applicableNot applicable).1).2	ION 10: STABILITY AND REACTIVITY Reactivity: No hazardous reactions are expected because the Chemical stability: Chemically stable under the conditions of storage, Possibility of hazardous reactions:	product is stable under recom handling and use.		
Shock and frictionContact with airIncrease in temperatureSunlightHumidityNot applicableNot applicableNot applicableNot applicableNot applicable).1).2).3	ION 10: STABILITY AND REACTIVITY Reactivity: No hazardous reactions are expected because the Chemical stability: Chemically stable under the conditions of storage, Possibility of hazardous reactions: Under the specified conditions, hazardous reaction	product is stable under recom handling and use.		
Not applicable Not applicable Not applicable Not applicable).1).2).3	ION 10: STABILITY AND REACTIVITY Reactivity: No hazardous reactions are expected because the Chemical stability: Chemically stable under the conditions of storage, Possibility of hazardous reactions: Under the specified conditions, hazardous reaction Conditions to avoid:	product is stable under recom handling and use. s that lead to excessive tempe		
).1).2).3	ION 10: STABILITY AND REACTIVITY Reactivity: No hazardous reactions are expected because the Chemical stability: Chemically stable under the conditions of storage, Possibility of hazardous reactions: Under the specified conditions, hazardous reaction Conditions to avoid:	product is stable under recom handling and use. s that lead to excessive tempe		
0.5 Incompatible materials:).1).2).3	ION 10: STABILITY AND REACTIVITY Reactivity: No hazardous reactions are expected because the Chemical stability: Chemical stability: Chemically stable under the conditions of storage, Possibility of hazardous reactions: Under the specified conditions, hazardous reaction Conditions to avoid: Applicable for handling and storage at room temper Shock and friction Contact with air	product is stable under recom handling and use. s that lead to excessive tempe erature: Increase in temperature	ratures or pressure are no Sunlight	t expected. Humidity
	0.1 0.2 0.3 0.4	ION 10: STABILITY AND REACTIVITY Reactivity: No hazardous reactions are expected because the Chemical stability: Chemically stable under the conditions of storage, Possibility of hazardous reactions: Under the specified conditions, hazardous reaction Conditions to avoid: Applicable for handling and storage at room temper Shock and friction Contact with air Not applicable Not applicable	product is stable under recom handling and use. s that lead to excessive tempe erature: Increase in temperature	ratures or pressure are no Sunlight	t expected. Humidity

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available



SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as dangerous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for skin contact. For more information see section 3.
 - Contact with the eyes: Causes serious eye irritation
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3. IARC: Non-applicable
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
 - Cutaneous: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

Other information:

The skin and/or eye classification of this product was derived using bridging principles (such as dilution, interpolation within one hazard category or substantially similar mixtures; with or without expert judgement) following Article 9(3) and Article 9(4) of Regulation (EC) No 1272/2008. DetNet logging number:

Specific toxicology information on the substances:

Identification	Acut	e toxicity	Genus
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	LD50 oral	1260 mg/kg	Rat
CAS: 68411-30-3	LD50 dermal	Non-applicable	
EC: 270-115-0	LC50 inhalation	Non-applicable	

SECTION 12: ECOLOGICAL INFORMATION



SECTION 12: ECOLOGICAL INFORMATION (continued) The experimental information related to the eco-toxicological properties of the product itself is not available 12.1 Toxicity: Identification Acute toxicity Genus Species Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts LC50 1.67 mg/L (96 h) Lepomis macrochirus Fish CAS: 68411-30-3 EC50 2.9 mg/L (48 h) Daphnia magna Crustacean EC: 270-115-0 EC50 29 mg/L (96 h) Selenastrum capricornutum Algae 12.2 Persistence and degradability: Degradability Biodegradability Identification Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts BOD5 Non-applicable Concentration 34.3 mg/L CAS: 68411-30-3 COD Non-applicable Period 29 days EC: 270-115-0 BOD5/COD Non-applicable % Biodegradable 89 % Amides, C16-18 and C18-unsatd., N,N-bis(hydroxyethyl) BOD5 Concentration Non-applicable 2 ma/L CAS: 68603-38-3 COD Period Non-applicable 28 days FC: 271-653-9 BOD5/COD 60 % Non-applicable % Biodegradable 12.3 Bioaccumulative potential: Identification Bioaccumulation potential BCF Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS: 68411-30-3 Pow Log 3.32 EC: 270-115-0 Potential Low Amides, C16-18 and C18-unsatd., N,N-bis(hydroxyethyl) BCF 81 CAS: 68603-38-3 Pow Log 5.45 EC: 271-653-9 Potential Moderate 12.4 Mobility in soil: Identification Volatility Absorption/desorption Amides, C16-18 and C18-unsatd., N,N-bis(hydroxyethyl) Koc 1354 0E+0 Pa·m³/mol Henry CAS: 68603-38-3 Conclusion Low Dry soil No EC: 271-653-9 Surface tension Non-applicable Moist soil No 12.5 Results of PBT and vPvB assessment: Product fails to meet PBT/vPvB criteria 12.6 Other adverse effects: Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
20 01 30	detergents other than those mentioned in 20 01 29	Non dangerous

Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014



SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2019 and RID 2019:

14.1	UN number:	Non-applicable
14.2	UN proper shipping name:	Non-applicable
14.3	Transport hazard class(es):	Non-applicable
	Labels:	Non-applicable
14.4	Packing group:	Non-applicable
14.5	Environmental hazards:	No
14.6	Special precautions for user	
	Special regulations:	Non-applicable
	Tunnel restriction code:	Non-applicable
	Physico-Chemical properties:	see section 9
	Limited quantities:	Non-applicable
14.7	Transport in bulk according	Non-applicable
	to Annex II of Marpol and the IBC Code:	
Transpor	t of dangerous goods by sea:	
-	rd to IMDG 39-18:	
14.1	UN number:	Non-applicable
14.2	UN proper shipping name:	Non-applicable
14.3	Transport hazard class(es):	Non-applicable
	Labels:	Non-applicable
14.4	Packing group:	Non-applicable
14.5	Environmental hazards:	No
		No
14.5	Special precautions for user	
	Special precautions for user Special regulations:	Non-applicable
	Special precautions for user Special regulations: EmS Codes:	Non-applicable
	Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties:	Non-applicable see section 9
	Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities:	Non-applicable see section 9 Non-applicable
14.6	Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group:	Non-applicable see section 9 Non-applicable Non-applicable
	Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group: Transport in bulk according	Non-applicable see section 9 Non-applicable
14.6	Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group:	Non-applicable see section 9 Non-applicable Non-applicable
14.6	Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group: Transport in bulk according to Annex II of Marpol and the	Non-applicable see section 9 Non-applicable Non-applicable
14.6 14.7 Transpor	Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group: Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable see section 9 Non-applicable Non-applicable
14.6 14.7 Transpor	Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group: Transport in bulk according to Annex II of Marpol and the IBC Code: t of dangerous goods by air:	Non-applicable see section 9 Non-applicable Non-applicable
14.6 14.7 Transpor With rega	Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group: Transport in bulk according to Annex II of Marpol and the IBC Code: t of dangerous goods by air: rd to IATA/ICAO 2020: UN number:	Non-applicable see section 9 Non-applicable Non-applicable Non-applicable
14.6 14.7 Transpor With rega 14.1	Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group: Transport in bulk according to Annex II of Marpol and the IBC Code: t of dangerous goods by air: rd to IATA/ICAO 2020: UN number: UN proper shipping name:	Non-applicable see section 9 Non-applicable Non-applicable Non-applicable
14.6 14.7 Transpor With rega 14.1 14.2	Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group: Transport in bulk according to Annex II of Marpol and the IBC Code: t of dangerous goods by air: rd to IATA/ICAO 2020: UN number:	Non-applicable see section 9 Non-applicable Non-applicable Non-applicable Non-applicable Non-applicable
14.6 14.7 Transpor With rega 14.1 14.2	Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group: Transport in bulk according to Annex II of Marpol and the IBC Code: t of dangerous goods by air: rd to IATA/ICAO 2020: UN number: UN proper shipping name: Transport hazard class(es):	Non-applicable see section 9 Non-applicable Non-applicable Non-applicable Non-applicable Non-applicable Non-applicable
14.6 14.7 Transpor With rega 14.1 14.2 14.3	Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group: Transport in bulk according to Annex II of Marpol and the IBC Code: t of dangerous goods by air: rd to IATA/ICAO 2020: UN number: UN proper shipping name: Transport hazard class(es): Labels:	Non-applicable see section 9 Non-applicable Non-applicable Non-applicable Non-applicable Non-applicable Non-applicable Non-applicable
14.6 14.7 Transpor With rega 14.1 14.2 14.3 14.4	Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group: Transport in bulk according to Annex II of Marpol and the IBC Code: t of dangerous goods by air: rd to IATA/ICAO 2020: UN number: UN proper shipping name: Transport hazard class(es): Labels: Packing group:	Non-applicable see section 9 Non-applicable Non-applicable Non-applicable Non-applicable Non-applicable Non-applicable Non-applicable Non-applicable
14.6 14.7 Transpor With rega 14.1 14.2 14.3 14.4 14.5	Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group: Transport in bulk according to Annex II of Marpol and the IBC Code: t of dangerous goods by air: rd to IATA/ICAO 2020: UN number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Environmental hazards:	Non-applicable see section 9 Non-applicable Non-applicable Non-applicable Non-applicable Non-applicable Non-applicable Non-applicable Non-applicable

to Annex II of Marpol and the IBC Code:

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains (ethylenedioxy)dimethanol, 2-octyl-2H-isothiazol-3-one.

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable



SECTION 15: REGULATORY INFORMATION (continued)

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: (ethylenedioxy)dimethanol (Product-type 2, 6, 11, 12, 13) ; 2-octyl-2H-isothiazol-3-one (Product-type 6, 7, 8, 9, 10, 11, 13)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Regulation (EC) No 648/2004 on detergents:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradibility criteria stipulated in Regulation (EC) $n^{0}648/2004$ on detergents. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products
- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents
- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII
- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830)

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):

- · Pictograms
- Hazard statements
- · Precautionary statements
- · Supplementary information

Texts of the legislative phrases mentioned in section 2:

H319: Causes serious eye irritation

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

- CONTINUED ON NEXT PAGE -



SECTION 16: OTHER INFORMATION (continued)

Acute Tox. 4: H302 - Harmful if swallowed Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects Eye Dam. 1: H318 - Causes serious eye damage Skin Irrit. 2: H315 - Causes skin irritation

Advice related to training:

Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5-day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 Log-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.