

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: Ludwik - Universal cleaner super shine (lily of the valley)

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Cleaner

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

GRUPA INCO S.A. ul. Wspólna 25 00-519 Warszawa - Mazowieckie - Polska Phone.: +48 22 71 15 900 info.produkty@inco.pl www.inco.pl

1.4 Emergency telephone number: +48 22 7115900 (7.30-15.30)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

The product is not classified as hazardous according to CLP Regulation (EC) No 1272/2008.

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Hazard statements:

Non-applicable

Precautionary statements:

P102: Keep out of reach of children

Supplementary information:

EUH208: Contains reaction mass 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS **

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Mixture composed of chemical products

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

Identification		Chemical name/Classification	Concentration			
CAS: 68891-38-3	Alcohols, C12-14(eve	bhols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts ⁽¹⁾ Self-classified				
EC: 500-234-8 Index: Non-applicable REACH: 01-2119488639-16- XXXX	Regulation 1272/2008	Aquatic Chronic 3: H412; Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger	1 - <3 %			

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

** Changes with regards to the previous version

Version: 2 (Replaced 1)



SECTION 3: COMPOSITION/INFORM	ATION ON INGREDIENTS **	(continued)	
Identifi	cation	Specific concentration limit	
Alcohols, C12-14(even numbered), ethoxyla CAS: 68891-38-3 EC: 500-234-8		% (w/w) >=10: Eye Dam. 1 - H318 5<= % (w/w) <10: Eye Irrit. 2 - H319	

** Changes with regards to the previous version

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. IT IS NOT RECOMMENDED to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:



SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

6.2 Environmental precautions:

Avoid spillage into the aquatic environment as it contains substances potentially dangerous for this. Contain the product absorbed in hermetically sealed containers. In the case of serious spillage into the aquatic environment notify the relevant authority.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Store in a cool, dry, well-ventilated location

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

7.2

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace

Identification	Occupational exposure limits				
Butanone	IOELV (8h)	200 ppm	600 mg/m ³		
CAS: 78-93-3 EC: 201-159-0	IOELV (STEL)	300 ppm	900 mg/m ³		

DNEL (Workers):



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Systemic on-applicable	Local Non-applicable	Systemic Non-applicable	Local Non-applicable
on-applicable	Non-applicable	Non-applicable	Non-applicable
			Non-applicable
on-applicable	Non-applicable	2750 mg/kg	Non-applicable
on-applicable	Non-applicable	175 mg/m ³	Non-applicable

DNEL (General population):

		Short ex	kposure	Long	g exposure	
Identification		Systemic	Local	Systemic	Local	
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	Oral	Non-applicable	-applicable Non-applicable 15 mg/		Non-applicable	
CAS: 68891-38-3	Dermal	Non-applicable	Non-applicable	1650 mg/kg	Non-applicable	
EC: 500-234-8	Inhalation	Non-applicable	Non-applicable	52 mg/m ³	Non-applicable	
PNEC:						
Identification						
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	STP	10000 mg/L	Fresh water	(0,24 mg/L	
CAS: 68891-38-3	Soil	7,5 mg/kg	Marine water	1	0,024 mg/L	
EC: 500-234-8	Intermittent	0,071 mg/L	Sediment (Fresh v	water)),917 mg/kg	
	Oral	Non-applicable	Sediment (Marine	water)	0,092 mg/kg	

8.2 Exposure controls:

A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2003+A1:2009 and EN ISO 374-1:2016

"As the product is a mixture of several substances, the resistance of the glove material can not be predicted in advance with total reliability and has therefore to be checked prior to the application"

D.- Ocular and facial protection

	Pictogram	PPE	Labelling	CEN Standard	Remarks
	Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2001 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.
E	Body protection				
	Pictogram	PPE	Labelling	CEN Standard	Remarks
		Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.



Image: Constraint of the product of	y evidence of deterioration. For ed exposure to the product for ial users CE III is recommended ith the regulations in EN ISO 12 y EN 13832-1:2007 Standards DIN 12 899 64-1:2011, ISO 3864-4:2011							
Emergency measure Standards Emergency measure Image: I	DIN 12 899 54-1:2011, ISO 3864-4:2011							
ANSI Z358-1 Iso 3864-1:2011, Iso 3864-4:2011 Iso 2000 Iso 386 Emergency shower Iso 3864-4:2011 Iso 386 Iso 386 Environmental exposure controls: Iso 3864-4:2011 Iso 386 Iso 386 In accordance with the community legislation for the protection of the environment it is recommended to a of both the product and its container. For additional information see subsection 7.1.D Volatile organic compounds: With regard to Directive 2010/75/EU, this product has the following characteristics: V.O.C. (Supply): 1 % weight V.O.C. density at 20 °C: 10,3 kg/m³ (10,3 g/L) Average carbon number: 2,03 Average molecular weight: 46,5 g/mol Thormation on basic physical and chemical properties: For complete information see the product datasheet. Appearance:	DIN 12 899 54-1:2011, ISO 3864-4:2011							
ISO 3864+1:2011, ISO 3864+4:2011 ISO 3864-4:2011 ISO 3864 Emergency shower ISO 3864+1:2011, ISO 3864-4:2011 ISO 3864 Environmental exposure controls: ISO 3864 ISO 3864 In accordance with the community legislation for the protection of the environment it is recommended to a of both the product and its container. For additional information see subsection 7.1.D Volatile organic compounds: With regard to Directive 2010/75/EU, this product has the following characteristics: V.O.C. (Supply): 1 % weight V.O.C. (Supply): 1 % weight V.O.C. density at 20 °C: 10,3 kg/m³ (10,3 g/L) Average carbon number: 2,03 Average molecular weight: 46,5 g/mol CTION 9: PHYSICAL AND CHEMICAL PROPERTIES Information on basic physical and chemical properties: For complete information see the product datasheet. Appearance:	54-1:2011, ISO 3864-4:2011							
In accordance with the community legislation for the protection of the environment it is recommended to a of both the product and its container. For additional information see subsection 7.1.D Volatile organic compounds: With regard to Directive 2010/75/EU, this product has the following characteristics: V.O.C. (Supply): 1 % weight V.O.C. density at 20 °C: 10,3 kg/m ³ (10,3 g/L) Average carbon number: 2,03 Average molecular weight: 46,5 g/mol TION 9: PHYSICAL AND CHEMICAL PROPERTIES Information on basic physical and chemical properties: For complete information see the product datasheet. Appearance:	void environmental spilla							
of both the product and its container. For additional information see subsection 7.1.D Volatile organic compounds: With regard to Directive 2010/75/EU, this product has the following characteristics: V.O.C. (Supply): 1 % weight V.O.C. density at 20 °C: 10,3 kg/m ³ (10,3 g/L) Average carbon number: 2,03 Average molecular weight: 46,5 g/mol CTION 9: PHYSICAL AND CHEMICAL PROPERTIES Information on basic physical and chemical properties: For complete information see the product datasheet. Appearance:	ivoid environmental spilla							
V.O.C. (Supply): 1 % weight V.O.C. density at 20 °C: 10,3 kg/m³ (10,3 g/L) Average carbon number: 2,03 Average molecular weight: 46,5 g/mol TTION 9: PHYSICAL AND CHEMICAL PROPERTIES Information on basic physical and chemical properties: For complete information see the product datasheet. Appearance: Appearance:								
V.O.C. density at 20 °C: 10,3 kg/m³ (10,3 g/L) Average carbon number: 2,03 Average molecular weight: 46,5 g/mol CTION 9: PHYSICAL AND CHEMICAL PROPERTIES Information on basic physical and chemical properties: For complete information see the product datasheet. Appearance:								
Average carbon number: 2,03 Average molecular weight: 46,5 g/mol CTION 9: PHYSICAL AND CHEMICAL PROPERTIES Information on basic physical and chemical properties: For complete information see the product datasheet. Appearance:								
Average molecular weight: 46,5 g/mol CTION 9: PHYSICAL AND CHEMICAL PROPERTIES Information on basic physical and chemical properties: For complete information see the product datasheet. Appearance:								
CTION 9: PHYSICAL AND CHEMICAL PROPERTIES Information on basic physical and chemical properties: For complete information see the product datasheet. Appearance:								
Information on basic physical and chemical properties: For complete information see the product datasheet. Appearance:								
For complete information see the product datasheet. Appearance:								
Appearance:								
Physical state at 20 °C: Liquid								
Appearance: Fluid								
Colour: Characteristic								
Odour: Characteristic								
Odour threshold: Non-applicable *								
Volatility:								
Boiling point at atmospheric pressure: 100 °C								
Vapour pressure at 20 °C: 2367 Pa								
Vapour pressure at 50 °C: 12455,12 Pa (12,46 kPa)								
Evaporation rate at 20 °C: Non-applicable *								

Product description:	
Density at 20 °C:	1029,9 kg/m ³
Relative density at 20 °C:	1,03
Dynamic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 40 °C:	Non-applicable *
Concentration:	Non-applicable *
pH:	8 - 9
Vapour density at 20 °C:	Non-applicable *
Partition coefficient n-octanol/water 20 °C:	Non-applicable *
*Not relevant due to the nature of the product, not providing infor	rmation property of its hazards.



Solubility in water at 20 °C:	Non-applicable *
Solubility properties:	Non-applicable *
Decomposition temperature:	Non-applicable *
Melting point/freezing point:	Non-applicable *
Explosive properties:	Non-applicable *
Oxidising properties:	Non-applicable *
Flammability:	
Flash Point:	Non Flammable (>60 °C)
Flammability (solid, gas):	Non-applicable *
Autoignition temperature:	399 °C
Lower flammability limit:	Non-applicable *
Upper flammability limit:	Non-applicable *
Explosive:	
Lower explosive limit:	Non-applicable *
Upper explosive limit:	Non-applicable *
Other information:	
Surface tension at 20 °C:	Non-applicable *
Refraction index:	Non-applicable *
*Not relevant due to the nature of the product,	not providing information property of its hazards.

0.1	Reactivity:									
	No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.									
10.2	Chemical stability:	Chemical stability:								
	Chemically stable under the	conditions of storage, ha	ndling and use.							
L0.3	Possibility of hazardous	reactions:								
	- Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.									
10.4	·									
10.4	·									
10.4	Conditions to avoid:			Sunlight	Humidity					
10.4	Conditions to avoid: Applicable for handling and	storage at room tempera	ture:							
10.4	Conditions to avoid: Applicable for handling and Shock and friction	storage at room temperal	ture: Increase in temperature	Sunlight	Humidity					
	Conditions to avoid: Applicable for handling and Shock and friction Not applicable	storage at room temperal	ture: Increase in temperature	Sunlight	Humidity					

complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:



SECTION 11: TOXICOLOGICAL INFORMATION (continued)

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as dangerous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for skin contact. For more information see section 3.

- Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as dangerous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.

IARC: ethanol (1); propan-2-ol (3)

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.

- Cutaneous: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Not available

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:



Safety data sheet According to 1907/2006/EC (REACH), 2015/830/EU

Ludwik - Universal cleaner super shine (lily of the valley)

SECT	ION 12: ECOLOGICAL INFORMATION (continue	d)					
	Identification			Acute toxicity		Species		Genus
	Alcohols, C12-14(even numbered), ethoxylated < 2.5 I sodium salts	EO, sulfates,	LC50	7.1 mg/L (96 h)		Danio rerio		Fish
	CAS: 68891-38-3	-3		EC50 7.4 mg/L (48 h)		Daphnia magna		Crustacean
	EC: 500-234-8		EC50	27 mg/L (72 h)		Scenedesmus subspica	atus	Algae
12.2	Persistence and degradability:							
	Identification		D	egradability		Biodegradab	oility	
	Alcohols, C12-14(even numbered), ethoxylated < 2.5 I sulfates, sodium salts	EO, BOD	5	Non-applicable	Conce	ntration	10.5 m	g/L
	CAS: 68891-38-3	COD		Non-applicable	Period	l	28 day	S
	EC: 500-234-8	BOD	5/COD	Non-applicable	% Bio	degradable	100 %	
12.3	Bioaccumulative potential:							
	Not available							
12.4	Mobility in soil:							
	Not available							
12.5	Results of PBT and vPvB assessment:							
	Product fails to meet PBT/vPvB criteria							
12.6	Other adverse effects:							
	Not described							

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
20 01 30	detergents other than those mentioned in 20 01 29	Non dangerous

Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2019 and RID 2019:



	RANSPORT INFORMATION (cc	intillaca)	
14.1	UN number:	Non-applicable	
14.2	UN proper shipping name:	Non-applicable	
14.3	Transport hazard class(es):	Non-applicable	
	Labels:	Non-applicable	
14.4	Packing group:	Non-applicable	
	Environmental hazards:	No	
	Special precautions for user		
	Special regulations:	Non-applicable	
	Tunnel restriction code:	Non-applicable	
	Physico-Chemical properties:	see section 9	
	Limited quantities:	Non-applicable	
147	Transport in bulk according	Non-applicable	
14.7	to Annex II of Marpol and the IBC Code:	Non-applicable	
Transpor	t of dangerous goods by sea:		
With rega	rd to IMDG 39-18:		
14.1	UN number:	Non-applicable	
14.2	UN proper shipping name:	Non-applicable	
14.3	Transport hazard class(es):	Non-applicable	
	Labels:	Non-applicable	
14.4	Packing group:	Non-applicable	
	Environmental hazards:	No	
_	Special precautions for user		
14.0	Special regulations:	Non-applicable	
	EmS Codes:	Non-applicable	
		and continue O	
	Physico-Chemical properties:	see section 9	
	Limited quantities:	Non-applicable	
	Segregation group:	Non-applicable	
14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable	
Transpor	t of dangerous goods by air:		
With rega	rd to IATA/ICAO 2020:		
14.1	UN number:	Non-applicable	
14.2	UN proper shipping name:	Non-applicable	
	Transport hazard class(es):	Non-applicable	
14.5	Labels:	Non-applicable	
1 / /	Packing group:	Non-applicable	
	Environmental hazards:	No	
14.6	Special precautions for user		
	Physico-Chemical properties:	see section 9	
14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable	

SECTION 15: REGULATORY INFORMATION

15.1	L Safety, health and environmental regulations/legislation specific for the substance or mixture:		
	Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains bronopol (INN), reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable		
	Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable		



SECTION 15: REGULATORY INFORMATION (continued)

Article 95, REGULATION (EU) No 528/2012: bronopol (INN) (Product-type 2, 6, 11, 12, 22) ; reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (Product-type 2, 4, 6, 11, 12, 13)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Regulation (EC) No 648/2004 on detergents:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradibility criteria stipulated in Regulation (EC) $n^{0}648/2004$ on detergents. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products
- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents

- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII

- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830)

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: SECTION 3

Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects Eye Dam. 1: H318 - Causes serious eye damage Skin Irrit. 2: H315 - Causes skin irritation Classification procedure:

Non-applicable

Advice related to training:



SECTION 16: OTHER INFORMATION (continued)

Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5-day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LOg-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.